



# LIVEBOXX

Box plow with fixed wings and “LIVE EDGE” trip system. The **LIVEBOXX** pusher is installed on a skid steer, backhoe or wheel loader.



Model	Available Edges	Blade Dimensions		Side Gate Depth	Application	Approx. Weight
		Width	Height			
LBX 0832	<b>LE</b>	8'	32"	36"	18 000 lb max.	1 345 lb
LBX 1032	<b>LE</b>	10'	32"	36"	18 000 lb max.	1 550 lb
LBX 1232	<b>LE</b>	12'	32"	36"	18 000 lb max.	1 760 lb
LBX 1236	<b>LE</b>	12'	36"	36"	24 000 lb max.	1 935 lb
LBX 1042	<b>LE</b>	10'	42"	42"	50 000 lb max.	2 250 lb
LBX 1242	<b>LE</b>	12'	42"	42"	50 000 lb max.	2 565 lb
LBX 1442	<b>LE</b>	14'	42"	42"	50 000 lb max.	2 805 lb
LBX 1642	<b>LE</b>	16'	42"	42"	50 000 lb max.	3 045 lb
LBX 1842	<b>LE</b>	18'	42"	42"	50 000 lb max.	3 285 lb
LBX 2042	<b>LE</b>	20'	42"	42"	50 000 lb max.	3 525 lb
LBX 1248	<b>LE</b>	12'	48"	48"	45 000 lb +	2 615 lb
LBX 1448	<b>LE</b>	14'	48"	48"	45 000 lb +	3 305 lb
LBX 1648	<b>LE</b>	16'	48"	48"	45 000 lb +	3 545 lb
LBX 1848	<b>LE</b>	18'	48"	48"	45 000 lb +	3 785 lb
LBX 2048	<b>LE</b>	20'	48"	48"	45 000 lb +	4 025 lb

Specs, models and/or model numbers are subject to change.



Some assembly is required from transportation mode to work mode.

Blade Positions



Options (Not included):

- Quick coupler
- Bucket mount
- Non standard color (NSC1)

The width of the blade does not determine the real dimension of the product. Pictures shown might have some options.

# LIVEBOXX

## WHY SWITCH TO LIVEBOXX?

### #1 Superior Quality


The best-built box plow in the industry.

### #3 Easy to Use

The level and slip hitch indicators are designed to be user-friendly, making it easy for you to operate.

### #2 Cost Savings

Carbide-infused LIVE EDGE gives incredible longevity and low maintenance costs.



REQUEST  
QUOTE

## EXPERT OPINION

“THE LIVEBOXX IS A MUST HAVE IN EVERY SNOWFIGHTER’S FLEET DUE TO ITS EASE OF USE AND THE LONGEVITY OF ITS CUTTING EDGES.

AVAILABLE FROM 8 TO 20 FEET WIDTHS, THERE IS ONE FOR JUST ABOUT ANY CARRIER OUT THERE. SIMPLE, EASY TO USE, BUT AT THE SAME TIME VERY EFFICIENT.

ALL LIVEBOXX COME EQUIPPED WITH OUR LIVE EDGE CUTTING EDGE, AN OSCILLATING SLIP HITCH WITH A SLIP HITCH INDICATOR, AND LEVEL INDICATORS ON THE WINGS. IT IS THE MOST ADVANCED AND YET THE EASIEST BOX PLOW AVAILABLE WORLDWIDE. ”



# LIVE EDGE

## PATENTED TECHNOLOGY

METAL PLESS  
**LIVE EDGE**  
Technology

**LE**

LIVE EDGE

**FOLLOWS  
AND CONTOURS  
the imperfections  
of roadways**

### **METAL PLESS “LIVE EDGE” technology.**

Our cutting-edge technology allows our snowplow to adapt to effortlessly road and lot imperfections, ensuring complete surface contact for optimal cleaning.

This innovation accelerates surface clearing and enhances safety on roads and parking lots while significantly reducing the need for salt and abrasives.

“LIVE EDGE” sets a new standard in advanced snowplow technology.




# MIX AND MATCH YOUR EQUIPMENT WITH OUR NON STANDARD COLORS

---


The powder coat process will help keep your plow looking great for years!

Equipment looks cleaner and keeps its resale value! Reduces maintenance.






# IT'S ALL ABOUT THE **EDGE**



Standard trip edge allows cutting edge to trip back.



Rubber edges are flexible, tough, and quiet, and at same time less likely to damage delicate surfaces.



A floating soft drive steel trip edge with carbide inserts for longer wear life, that contours the unevenness of the ground for a cleaner result.



Individual floating rubber edge contouring the unevenness of the ground for a cleaner result while protecting delicate surfaces.



Unique Soft Drive trip edge design allows the individual sections to trip backward without the blade being lifted upward, greatly reducing the impact.



Inter-acting LIVE EDGE for hydraulic side wings. The serpentine-like movement allows the cutting edge to follow the surface being cleaned without risk of damaging the cutting edges or the area it is riding on.