

# MAXXPRO

Industrial snowplow with hydraulic wings and angle.  
The **MAXXPRO** is installed on a wheel loader.

Model	Available Edges	Blade Dimensions			Application	Approx. Weight
		Box	Height	Extended		
PRO 0848-18	<b>HD - LE</b>	8'	48"	18'	25 000 lb and up	4 700 lb
PRO 0848-20	<b>HD - LE</b>	8'	48"	20'	25 000 lb and up	4 900 lb
PRO 1048-18	<b>HD - LE</b>	10'	48"	18'	25 000 lb and up	4 800 lb
PRO 1048-20	<b>HD - LE</b>	10'	48"	20'	25 000 lb and up	5 000 lb
PRO 1048-22	<b>HD - LE</b>	10'	48"	22'	25 000 lb and up	5 200 lb
PRO 1048-26	<b>HD - LE</b>	10'	48"	26' (van)	25 000 lb and up	5 900 lb
PRO 1248-20	<b>HD - LE</b>	12'	48"	20'	30 000 lb and up	5 200 lb
PRO 1248-22	<b>HD - LE</b>	12'	48"	22'	30 000 lb and up	5 400 lb
PRO 1248-24	<b>HD - LE</b>	12'	48"	24'	30 000 lb and up	5 600 lb
PRO 1248-28	<b>HD - LE</b>	12'	48"	28' (van)	30 000 lb and up	6 300 lb
PRO 1448-25	<b>HD - LE</b>	14'	48"	25'	35 000 lb and up	6 400 lb
PRO 1648-30	<b>HD - LE</b>	16'	48"	30'	40 000 lb and up	7 000 lb

Specs, models and/or model numbers are subject to change.

Model	Available Edges	Blade Dimensions			Application	Approx. Weight
		Box	Height	Extended		
PRO 2048-36	<b>HD - LE</b>	20'	48"	36'	50 000 lb and up	10 000 lb
PRO 2460-44	<b>HD - LE</b>	24'	60"	44'	60 000 lb and up	15 000 lb
PRO 3660-56	<b>HD - LE</b>	36'	60"	56'	70 000 lb and up	19 400 lb

Specs, models and/or model numbers are subject to change.


AEROPLESS



48"



Also available in




60"

Included:

- Angle and wing hydraulic systems
  - Electric over hydraulic valves
  - Quick coupler for industrial loader
  - CCE standard on LE, optional on HD
  - Curb runners
- This system requires 1 set of oil outlets

Blade Positions



Options (Not included):

- Non standard color (NSC1)
- Electric valve and joystick (JSC3) 12 or 24 volts: electric over hydraulic 1 spool mounted on blade with electric control and necessary cable for the installation in the tractor cab.

The width of the blade does not determine the real dimension of the product. Pictures shown might have some options.

# MAXXPRO

## WHY SWITCH TO MAXXPRO?

### #1 Efficiency

The **MAXXPRO** sets the industry standard in snowplow efficiency.

### #2 Easy to Use


Operator-friendly level and slip hitch indicators make it easy to use.

### #3 Strength

CHT-400 steel in the build reduces weight. Push snow not steel!

### #4 Cost Savings

Carbide-infused LIVE EDGE gives incredible longevity and low maintenance costs.



Not included:

- Hydraulic hoses and connectors from the blade to the vehicle



REQUEST  
QUOTE



## EXPERT OPINION

“THE MOST ROBUST,  
MOST EFFICIENT  
AND COST EFFECTIVE  
PLOW IN THE WORLD!

**ONE MAXXPRO CAN  
DO THE WORK OF 2 TO  
3 BOX PLOWS.**

**THIS PLOW  
ELIMINATES  
CAPITAL EXPENSE IN  
MACHINERY, LABOR  
COST, AND MONEY  
SPENT ON FUEL!**

THIS MIGHTY PLOW  
WILL DO IT ALL FOR  
YOU.”




## HYDRAULIC WINGS

Our wings are constructed with CHT400 steel, making them the strongest in the industry. We use cylinders to move the wings, instead of actuators (hydraulic motors), offering superior holding strength. The leverage is increased by having two cylinders per wing. Additionally, the wings are equipped with a spring that can be adjusted to provide down pressure.



## SOFT DRIVE TRIP EDGE

Unique Soft Drive Trip Edge design allows the individual sections to trip backward without the blade being lifted upward, greatly reducing the impact.



**HD**  
SOFT DRIVE TRIP EDGE





## TRIP EDGE ON THE WINGS

Available on HD and LIVE EDGE models. The bottom part of the wing can trip if an obstacle is struck.


The cutting edge can trip without creating an impact on the motorized vehicle. Safer for the operator and reduces damage to equipment!

## LATERAL & VERTICAL FLOAT

Automatically follows the imperfections of the pavement. Our system incorporates an adjustable oscillating mechanism for better control.

Increase plowing efficiency and no need to go over the same area multiple times.

Slip hitch design allows the plow to follow surface variations. Reduces operator fatigue and increases plowing efficiency. Cutting edges wear evenly and prolong plow life.





# LIVE EDGE

## PATENTED TECHNOLOGY

METAL PLESS  
**LIVE EDGE**  
Technology

**LE**

LIVE EDGE

**FOLLOWS  
AND CONTOURS  
the imperfections  
of roadways**

### **METAL PLESS “LIVE EDGE” technology.**

Our cutting-edge technology allows our snowplow to adapt to effortlessly road and lot imperfections, ensuring complete surface contact for optimal cleaning.

This innovation accelerates surface clearing and enhances safety on roads and parking lots while significantly reducing the need for salt and abrasives.

“LIVE EDGE” sets a new standard in advanced snowplow technology.




# MIX AND MATCH YOUR EQUIPMENT WITH OUR NON STANDARD COLORS

---


The powder coat process will help keep your plow looking great for years!

Equipment looks cleaner and keeps its resale value! Reduces maintenance.






# IT'S ALL ABOUT THE **EDGE**



Standard trip edge allows cutting edge to trip back.



Rubber edges are flexible, tough, and quiet, and at same time less likely to damage delicate surfaces.



A floating soft drive steel trip edge with carbide inserts for longer wear life, that contours the unevenness of the ground for a cleaner result.



Individual floating rubber edge contouring the unevenness of the ground for a cleaner result while protecting delicate surfaces.



Unique Soft Drive trip edge design allows the individual sections to trip backward without the blade being lifted upward, greatly reducing the impact.



Inter-acting LIVE EDGE for hydraulic side wings. The serpentine-like movement allows the cutting edge to follow the surface being cleaned without risk of damaging the cutting edges or the area it is riding on.