

# REVERSEMAXX

Snowplow with hydraulic wings, without angulation.  
The **REVERSEMAXX** is installed on an agricultural loader "arms", skid steer or backhoe.



Model	Available Edges	Blade Dimensions			Application	Approx. Weight
		Box	Height	Extended		
REVL 0527-10	<b>STD</b>	5'	27"	10'	35-45 HP	1 000 lb
REVL 0627-11	<b>STD</b>	6'	27"	11'	45-55 HP	1 130 lb
REVL 0727-12	<b>STD</b>	7'	27"	12'	55-65 HP	1 185 lb
REVM 0630-11	<b>STD - LE</b>	6'	30"	11'	50-60 HP	1 398 lb
REVM 0730-12	<b>STD - HD</b>	7'	30"	12'	60-80 HP	1 498 lb
REVM 0830-13	<b>STD - HD - LE</b>	8'	30"	13'	70-90 HP	1 688 lb
REVM 0736-13	<b>HD - LE</b>	7'	36"	13'	60-90 HP	1 865 lb
REVM 0836-14	<b>HD - LE</b>	8'	36"	14'	80-100 HP	2 000 lb
REVM 0936-15	<b>STD - HD - LE</b>	9'	36"	15'	90-125 HP	2 100 lb
REVM 0836-16	<b>STD - HD - LE</b>	8'	36"	16'	85-125 HP	2 200 lb
REVM 1036-16	<b>STD - HD - LE</b>	10'	36"	16'	100-125 HP	2 185 lb
REVM 1236-18	<b>STD - HD - LE</b>	12'	36"	18'	125 HP and up	2 378 lb

Specs, models and/or model numbers are subject to change.

27"

30"

36"

**HD**  
SOFT DRIVE TRIP EDGE



Also available in

**STD**  
STANDARD

**LE**  
LIVE EDGE

Included:

- Wing hydraulic systems
- Electric over hydraulic valves

Options (Not included):

- Quick coupler
- Carbide cutting edge (CCE)

- Non standard color (NSC1)
- Teflon cutting edge 3/4" x 6" (TCE3/4)

Blade Positions



The width of the blade does not determine the real dimension of the product. Pictures shown might have some options.

# REVERSEMAXX

## WHY SWITCH TO REVERSEMAXX?

### #1 Protection


Increased protection of the loader arms on your tractor.

### #2 Versatility

All the benefits of a **PLOWMAXX** without the angulation.

### #3 Close fit

Fits very close to the quick coupler, offering increased visibility for the operator.



Not included:

- Hydraulic hoses and connectors from the blade to the vehicle





REQUEST  
QUOTE

## EXPERT OPINION

“**DESIGNED FOR TRACTOR LOADER ARMS,**

IT IS **SAFE AND EFFICIENT TO USE ON AGRICULTURAL LOADER ARMS,**


**WITHOUT THE RISK OF BENDING THE ARMS OR DAMAGING YOUR TRACTOR.”**



## HYDRAULIC WINGS

Our wings are constructed with CHT400 steel, making them the strongest in the industry. We use cylinders to move the wings, instead of actuators (hydraulic motors), offering superior holding strength. The leverage is increased by having two cylinders per wing. Additionally, the wings are equipped with a spring that can be adjusted to provide down pressure.

## SOFT DRIVE TRIP EDGE





Unique Soft Drive Trip Edge design allows the individual sections to trip backward without the blade being lifted upward, greatly reducing the impact.



**HD**  
SOFT DRIVE TRIP EDGE

**METAL  
PRESS**



## TRIP EDGE ON THE WINGS

Available on HD and LIVE EDGE models. The bottom part of the wing can trip if an obstacle is struck.

The cutting edge can trip without creating an impact on the motorized vehicle. Safer for the operator and reduces damage to equipment!

## LATERAL & VERTICAL FLOAT

Automatically follows the imperfections of the pavement. Our system incorporates an adjustable oscillating mechanism for better control.

Increase plowing efficiency and no need to go over the same area multiple times.

Slip hitch design allows the plow to follow surface variations. Reduces operator fatigue and increases plowing efficiency. Cutting edges wear evenly and prolong plow life.





# LIVE EDGE

## PATENTED TECHNOLOGY

METAL PLESS  
**LIVE EDGE**  
Technology

**LE**

LIVE EDGE

**FOLLOWS  
AND CONTOURS  
the imperfections  
of roadways**

### **METAL PLESS “LIVE EDGE” technology.**

Our cutting-edge technology allows our snowplow to adapt to effortlessly road and lot imperfections, ensuring complete surface contact for optimal cleaning.

This innovation accelerates surface clearing and enhances safety on roads and parking lots while significantly reducing the need for salt and abrasives.

“LIVE EDGE” sets a new standard in advanced snowplow technology.




# MIX AND MATCH YOUR EQUIPMENT WITH OUR NON STANDARD COLORS

---


The powder coat process will help keep your plow looking great for years!

Equipment looks cleaner and keeps its resale value! Reduces maintenance.






# IT'S ALL ABOUT THE **EDGE**



Standard trip edge allows cutting edge to trip back.



Rubber edges are flexible, tough, and quiet, and at same time less likely to damage delicate surfaces.



A floating soft drive steel trip edge with carbide inserts for longer wear life, that contours the unevenness of the ground for a cleaner result.



Individual floating rubber edge contouring the unevenness of the ground for a cleaner result while protecting delicate surfaces.



Unique Soft Drive trip edge design allows the individual sections to trip backward without the blade being lifted upward, greatly reducing the impact.



Inter-acting LIVE EDGE for hydraulic side wings. The serpentine-like movement allows the cutting edge to follow the surface being cleaned without risk of damaging the cutting edges or the area it is riding on.